

Paediatric First Aid Activity



Match the condition to its correct treatment

- | | |
|--|--|
| 1) Unresponsive but breathing normally | A) Move everything away. Monitor and reassure. |
| 2) Unresponsive and not breathing | B) Sit down. Give sugary drink. Monitor. |
| 3) Fainting | C) Sit down and reassure. Administer Epi-pen. |
| 4) Shock | D) CPR & AED. Summon EMS. |
| 5) Concussion | E) Lie on floor and raise legs. Treat cause. |
| 6) Anaphylaxis | F) Up to 5 back blows then up to 5 abdominal thrusts and repeat. |
| 7) Epilepsy | G) Recovery Position. |
| 8) Bleeding | H) Hospital immediately. Monitor and reassure. |
| 9) Poisoning | I) Sit/lie down and apply pressure. |
| 10) Burn | J) Lie on floor and raise legs. |
| 11) Choking | K) Reassure and monitor. Seek further medical help . |
| 12) Fever | L) Hospital immediately. Monitor and reassure. |
| 13) Pink Eye | M) Cool for 10 minutes. Seek further medical help. |
| 14) Meningitis | N) Cool down gradually, monitor and reassure. |
| 15) Diabetes | O) Monitor and seek further medical attention. |
| 16) Sepsis | P) Reassure, seek further medical help. Do not encourage vomiting. |

Answers to Paediatric First Aid Activity

1	2	3	4	5	6	7	8
G	D	J	E	K	C	A	I

9	10	11	12	13	14	15	16
P	M	F	N	O	H/L	B	H/L

Key:

Medical attention = Doctors

Medical Help = Hospital